

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U. S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List) LIFTn'-STRIP PAINT REMOVER	<i>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</i>
---	--

Section I		
Manufacturer's Name Sunnyside Corporation	Manufacturer's Code: 674	Emergency Telephone Number Chem Trec (800) 424-9300
Address (Number, Street, City, and ZIP Code) 225 Carpenter Avenue Wheeling, IL 60090		Telephone Number for Information (847) 541-5700
	Date Prepared	06/26/09
	Signature of Preparer (optional)	

Section II-Hazardous Ingredients/Identity Information				
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	% (optional)
Calcium Hydroxide (1305-62-0)	5 mg/m ³	5 mg/m ³		15-25%
Sodium Hydroxide (1310-73-2)	2 mg/m ³	2 mg/m ³		5-9%

Section III- Physical/Chemical Characteristics			
Boiling Point	N/A	Specific Gravity (H₂O=1)	1.14
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR =1)	N/A	Evaporation Rate (Butyl Acetate=1)	N/A
Solubility in Water	Complete		
Appearance and Odor	White paste-odorless		

Section IV- Fire and Explosion Hazard Data							
Flash Point (Method Used)	Non-flammable	Flammable Limits	Non-flammable	LEL	N/A	UEL	N/A
Extinguishing Media	N/A						
Special Fire Fighting Procedures	N/A						
Unusual Fire and Explosion Hazards	N/A						
N/A = Not Applicable							

Section V-Reactivity Data

Stability	Unstable		Conditions to Avoid N/A
	Stable	X	
Incompatibility (Materials to Avoid) Aluminum, strong acids, organic halogens, nitromethane			
Hazardous Decomposition or Byproducts N/A			
Hazardous Polymerization	May Occur		Conditions to Avoid N/A
	Will Not Occur	X	

Section VI-Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	Not Established	Not Established	Not Established
Health Hazards (Acute and Chronic) "See Signs & Symptoms of Exposure".			
Carcinogenicity:			
	NTP?	IARC monographs?	OSHA Regulated?
Not listed	Not listed	Not listed	Not regulated
Signs and Symptoms of Exposure: Eye-May cause severe burns. Skin-May cause severe burns with reddening & irritation, dermatitis. Inhalation-respiratory irritation. Ingestion:Gastro-intestinal corrosion.			
Medical Conditions Generally Aggravated by Exposure Individuals with chronic respiratory or skin diseases may be at increased risk from exposure.			
Emergency and First Aid Procedures yes-flush exposed areas with large quantities of water. Skin-Flush with water-wash with soap & water. Inhalation-Remove to fresh air. Ingestion-do not induce vomiting. Call Physician immediately.			

Section VII-Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled	Clean-up collect and dispose of material. Wear protective gloves and clothing.
Waste Disposal Method	Dispose of in accordance with all Local, State and Federal regulations.
Precautions to Be Taken in Handling and Storing	Handle caustic material with care.
Other Precautions	Keep out of reach of children and animals.

Section VIII-Control Measures

Respiratory Protection (Specify Type) Use NIOSH approved respiratory equipment if misting is expected.			
Ventilation	Local Exhaust	Sufficient to maintain air concentration as required by OSHA	Special N/A
	Mechanical (General)	Maintain adequate ventilation	Other N/A
Protective Gloves	Butyl rubber, Neoprene gloves	Eye Protection	Chemical safety goggles or full face shield is recommended.
Other Protective Clothing or Equipment Protective clothing to protect skin . Impervious coveralls, apron, boots. Eye wash as needed.			
N/A = Not applicable.			

Section IX-Additional Information

This product contains the following toxic chemicals which are subject to reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SARA Title III Hazard Categories: Immediate (Acute) Health Hazard

TRANSPORTATION: Corrosive
 Packing Group: II

California Proposition 65: This product contains chemicals known to the state of California to cause cancer, and birth defects or other reproductive harm.